

E&H services Inc.
Testing laboratory
CAI Accredited Testing Laboratory No. 1665
according to ÈSN EN ISO/IEC 17025:2018
building VÚHŽ, 739 51 Dobrá 240



TEST REPORT No. 998/2022

Customer : EUPHORIA TRADE s.r.o.
Klimentská 1216/46
110 00 Praha 1

Set No. : 572/2022
Sample Received : 5.8.2022 10:30
Sample Analyzed : 5.8.2022 - 11.8.2022
Order No. : Not mentioned

ID : 24228648
VAT : CZ24228648

Information about sample No.: 2561

Sampling Date and Time : Not mentioned
Sample name : HHC Shot
Sample type : Vegetable materials
Sampled by : Customer
Sampling purpose : On the customer request

Results - chemical analysis

Parameter	Value	Unit	Kind	Method used	Uncertainty
Cannabidiol (CBD)	<0,060	mg/g	A	SOP 16.02	---
Cannabidiol Acid	<0,060	mg/g	A	SOP 16.02	---
delta-9-tetrahydrocannabinol (THC)	0,16	mg/g	A	SOP 16.02	± 30%
tetrahydrocannabinolic acid	<0,060	mg/g	A	SOP 16.02	---
Sum of CBD	<0,006	%	N	calculation	---
Sum of THC	0,016	%	N	calculation	± 30%

Notice to sampling : The sampling itself is not a subject of accreditation.

This Report can be reproduced only complete, its part only with the written permission of this testing laboratory.

Results are only for tested samples. The results relate only to the tested samples. In case the laboratory is not responsible for the sampling phase, the results refer to the sample as is received. If the sampling is not the subject of accreditation, the identification data (sample name, date and time of sampling) are stated in the protocol exclusively as provided by the customer and the laboratory is not responsible for them.

All methods are performed at the address of the Testing laboratory.

These expanded uncertainties of measurement are obtained by multiplying of standard uncertainty of measurement by extending coefficient $k=2$ (for confidence level 95%). Uncertainty of sampling not included.

"<" - result is below the detection limit, ">" - result is higher than mentioned value

Methods in Kind column: "A" test in the scope of accreditation, "N" test out of the scope of accreditation

Checked by : Lisník Jirí, MSc.
Completed by : Jungová Katerina, MSc.
Number of pages : 2
Date : 11.8.2022



Tomáš Ocelka, Dipl. Ing., Ph.D.
head of Testing Laboratory



End of protocol